



FOLEY & LARDNER

ATTORNEYS AT LAW

CHICAGO
DENVER
JACKSONVILLE
LOS ANGELES
MADISON
MILWAUKEE
ORLANDO

ONE MARITIME PLAZA, SIXTH FLOOR
SAN FRANCISCO, CALIFORNIA 94111-3404
TELEPHONE: (415) 434-4484
FACSIMILE: (415) 434-4507

SACRAMENTO
SAN DIEGO
SAN FRANCISCO
TALLAHASSEE
TAMPA
WASHINGTON, D.C.
WEST PALM BEACH

WRITER'S DIRECT LINE
(415) 438-6454

EMAIL ADDRESS
Jhendrickson@foleylaw.com

CLIENT/MATTER NUMBER
025182-0106

October 11, 2001

VIA EXPRESS MAIL

Commissioner for Patents
Washington, D.C. 20231


Re: **Nonprovisional Patent Application No. 09/898,171**
Requests to Correct Inventorship
Date Filed: July 3, 2001

Dear Sir or Madam:

Attached hereto you will find the following regarding the above application:

1. Transmittal of Corrected Drawings; and
2. Copy of Notice to File Corrected Application Papers

Respectfully submitted,



Jay P. Hendrickson
Reg. No. 37, 147

JPH:sam
Enclosures
Cc (w/enclosures):
Joakim F. Peleus
Claro Villanueva



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/898,171	08/03/2001	Joakim F. Peleus	025182-0106

Jay P. Hendrickson
FOLEY & LARDNER
One Maritime Plaza
Sixth Floor
San Francisco, CA 94111-3404



CONFIRMATION NO. 9630

FORMALITIES LETTER



OC000000006465191

Date Mailed: 08/23/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/898,171